

A row of wine bottles is shown on a light-colored wooden shelf. The bottles are dark, and their circular bases are visible. The background is dark, featuring a series of out-of-focus, glowing orange-red lights that create a bokeh effect. The overall mood is warm and sophisticated.

linea**EASY**



## JG 18 A



**MODEL IN THE PICTURE:**  
CF - BLACK

**ALSO AVAILABLE:**  
X - WITH STAINLESS STEEL FRAME DOOR




## JG 32 A



**MODEL IN THE PICTURE:**  
CF - BLACK



## JG 32 AD



**MODEL IN THE PICTURE:**  
CF - BLACK



## JG 51 A




**MODEL IN THE PICTURE:**  
CF - BLACK

**ALSO AVAILABLE:**  
X - STAINLESS STEEL FRAME DOOR



## JG 51 AD



**MODEL IN THE PICTURE:**  
CF - BLACK

**ALSO AVAILABLE:**  
X - STAINLESS STEEL FRAME DOOR




## BC 45 A



**MODEL IN THE PICTURE:**  
X - STAINLESS STEEL FRAME DOOR




## JG 45 A



**MODEL IN THE PICTURE:**  
X - STAINLESS STEEL FRAME DOOR

**ALSO AVAILABLE:**  
CF - BLACK  
BUILT-IN VERSION AS SHOWN ON PAGE 63

## JG 45 AD



**ALSO AVAILABLE:**  
CF - BLACK  
BUILT-IN VERSION AS SHOWN ON PAGE 63



Particolare maniglia BC45/JG45 - *Inox handle detail BC45/JG45*



Particolare cassetto modello JG51/JG32 /JG45 - *Shelves details model JG51/JG32/JG45*




## JG 110 A



MODEL IN THE PICTURE:  
X - STAINLESS STEEL FRAME DOOR



## JG 166 AD



MODEL IN THE PICTURE:  
X - STAINLESS STEEL FRAME DOOR




Termostato elettronico con display digitale  
*Electronic thermostat with digital display*



Serratura modelli JG 166 / JG 168 / JGP 168 -  
*Locks details models JG 166 / JG 168 / JGP 168*



## JG 168 A



**MODEL IN THE PICTURE:**  
CF - BLACK

**ALSO AVAILABLE:**  
X - WITH STAINLESS STEEL FRAME DOOR



## JG 168 AD




**MODEL IN THE PICTURE:**  
X - WITH STAINLESS STEEL FRAME DOOR

**ALSO AVAILABLE:**  
CF - BLACK



## JGP 168 AD



**MODEL IN THE PICTURE:**  
JGP - WOODEN TOP AND CORNERS  
F - BEECH


## JGP 168 A



JGP - WOODEN TOP AND CORNERS  
F - BEECH



Particolare top JGP 168- *Detail of the JGP 168 top*



Particolare maniglia JGP 168 - *Handle detail of JGP 168*





FRANÇAIS	ESPAÑOL	DEUTSCH	ENGLISH	ITALIANO
<b>VERSIONS DISPONIBLES</b>	<b>VERSIONES DISPONIBLES</b>	<b>VERFÜGBARE VERSIONEN</b>	<b>AVAILABLE VERSIONS</b>	<b>VERSIONI DISPONIBILI</b>
<b>A - VERSION À TEMPÉRATURE UNIQUE</b>	<b>A - VERSIÓN UNA TEMPERATURA</b>	<b>U - EIN TEMPERIERSCHRÄNKE</b>	<b>A - MONO VERSION</b>	<b>A - MONOTEMPERATURA</b>
<b>AD - VERSION DOUBLE TEMPÉRATURE</b>	<b>AD - VERSIÓN DOS TEMPERATURAS</b>	<b>AD - DUAL - ZWEIZONENSCHRÄNKE</b>	<b>AD - DUAL VERSION</b>	<b>AD - DUAL</b>
<b>CAPACITÉ BOUTEILLES 750 ml</b>	<b>N.º DE BOTTILLAS DE 750 ml</b>	<b>KAPAZITÄT - FLASCHEN 750 ml</b>	<b>CAPACITY FOR 750 ml BOTTLES</b>	<b>CAPACITÀ BOTTIGLIE 750 ml</b>
DUAL - ZONE SUPÉRIEURE	DUAL - ZONA SUPERIOR	DUAL - OBERE BEREICH	DUAL - UPPER ZONE	DUAL - ZONA SUPERIORE
DUAL - ZONE INFÉRIEURE	DUAL - ZONA INFERIOR	DUAL - UNTERE BEREICH	DUAL - LOWER ZONE	DUAL - ZONA INFERIORE
<b>RÉGLAGE TEMPÉRATURE</b>	<b>RANGO DE TEMPERATURA INTERIOR</b>	<b>TEMPERATURBEREICH</b>	<b>TEMPERATURE ADJUSTMENT</b>	<b>REGOLAZIONE TEMPERATURA</b>
VERSION À TEMPÉRATURE UNIQUE	VERSION UNA TEMPERATURA	EIN - TEMPERATURBEREICH	MONO VERSION	MONOTEMPERATURA
DUAL - ZONE SUPÉRIEURE	DUAL - ZONA SUPERIOR	DUAL - OBERE ZONE	DUAL - UPPER ZONE	DUAL - ZONA SUPERIORE
DUAL - ZONE INFÉRIEURE	DUAL - ZONA INFERIOR	DUAL - UNTERE ZONE	DUAL - LOWER ZONE	DUAL - ZONA INFERIORE
TEMPÉRATURE D'AMBIANCE	TEMPERATURA AMBIENTE	UMGEBUNGSTEMPERATUR	AMBIENT TEMPERATURE	TEMPERATURA AMBIENTE
<b>DESCRIPTION APPAREIL</b>	<b>DESCRIPCIÓN DE LA MÁQUINA</b>	<b>GERÄTEBESCHREIBUNG</b>	<b>APPLIANCE DESCRIPTION</b>	<b>DESCRIZIONE MACCHINA</b>
RÉFRIGÉRATION STATIQUE	REFRIGERACIÓN ESTÁTICA	STATISCHE KÜHLUNG	STATIC COOLING SYSTEM	REFRIGERAZIONE STATICA
RÉFRIGÉRATION VENTILÉE	REFRIGERACIÓN VENTILADA	UMLUFTKÜHLUNG	FAN COOLING SYSTEM	REFRIGERAZIONE VENTILATA
VENTILATION INTERNE	VENTILACIÓN INTERNA	STATISCHE KÜHLUNG MIT VENTILATION	INTERNAL FAN	VENTILAZIONE INTERNA
PROGRAMME CHAUFFAGE	PROGRAMA DE CALEFACCIÓN	HEIZUNG	HEATING PROGRAM	PROGRAMMA RISCALDAMENTO
SERRURE	CERRADURA	SCHLOSS	LOCK	SERRATURA
ÉCLAIRAGE INTERNE À LED	LUZ INTERNA LED	LED INNENBELEUCHTUNG	LED INTERNAL LIGHT	LUCE INTERNA A LED
CLAYETTES RÉGLABLES	ESTANTES REGULABLES	REGALE HÖHENVERSTELLBAR	ADJUSTABLES SHELVES	RIPIANI REGOLABILI
NO. COMPRESSEURS	Nº COMPRESORES	ANZAHL KOMPRESSOREN	NO. OF COMPRESSORS	NO. COMPRESSORI
GAS R 600 a	GAS R 600 a	GAS R 600 a	GAS R 600 a	GAS R 600 a
ABSORPTION MAXIMALE	CONSUMO MÁXIMO	MAX. ENTNAHME	POWER INPUT	MASSIMO ASSORBIMENTO
INSTALLATION LIBRE	INSTALACIÓN LIBRE	FREISTEHEND	STANDALONE VERSION	LIBERA INSTALLAZIONE
VERSION À ENCASTRER	VERSION INTEGRABLE	EINBAUGERÄT	BUILT-IN VERSION	VERSIONE DA INCASSO
HUMIDITÉ INTERNE	RANGO DE HUMEDAD	RELATIVE LUFTFEUCHTIGKEIT	RANGE OF HUMIDITY	UMIDITÀ INTERNA
<b>ÉQUIPEMENT STANDARD</b>	<b>ESTANTES ESTÁNDAR</b>	<b>STANDARDAUSSTATTUNG</b>	<b>STANDARD SET UP</b>	<b>ALLESTIMENTO STANDARD</b>
CLAYETTES DE STOCKAGE	ESTANTES DE ALMACENAMIENTO	ABLAGEFLÄCHEN	STOCK SHELVES	RIPIANI STOCCAGGIO
CLAYETTES COULISSANTES	ESTANTES DESLIZABLES	GLEITFLÄCHEN	SLIDING SHELVES	RIPIANI SCORREVOLI
CLAYETTES INTERMÉDIAIRES	ESTANTES INTERMEDIOS	ZWISCHENFLÄCHEN	MIDDLE SHELVES	RIPIANI INTERMEDI
<b>TYPOLOGIE DES PORTES</b>	<b>PUERTAS</b>	<b>TÜREN</b>	<b>DOORS</b>	<b>TIPOLOGIA PORTE</b>
PORTE EN MÉTAL	PUERTA METÁLICA	METALLTÜR	ENAMELLED DOOR	PORTA METALLO
PORTE À DOUBLE VITRAGE	PUERTA DE DOBLE CRISTAL	TÜR MIT ISOLIERVERGLASUNG	DOUBLE GLASS DOOR	PORTA DOPPIO VETRO
PORTES VITRÉES COULISSANTES	PUERTA CRISTAL DESLIZANTE	SCHIEBE-GLASTÜREN	SLIDING GLASS DOORS	PORTE VETRO SCORREVOLI
VITRE ANTI-RAYONS UV	CRISTAL CON FILTRO ANTI UV	UV SCHUTZVERGLASUNG	UV REFLECTION GLASS	VETRO ANTI RAGGI UV
PORTE RÉVERSIBLE	PUERTA REVERSIBLE	TÜRANSCHLAG WECHSELBAR	REVERSIBLE DOOR	PORTA REVERSIBILE
<b>DIMENSIONS DU PRODUIT</b>	<b>DIMENSIONES</b>	<b>ABMESSUNGEN</b>	<b>PRODUCT SIZE</b>	<b>DIMENSIONI PRODOTTO</b>
HAUTEUR (mm)	ALTURA (mm)	HÖHE (mm)	HEIGHT (mm)	ALTEZZA (mm)
LARGEUR (mm)	ANCHO (mm)	BREITE (mm)	WIDTH (mm)	LARGHEZZA (mm)
PROFONDEUR (mm)	FONDO (mm)	TIEFE (mm)	DEPTH (mm)	PROFONDITÀ (mm)
POIDS NET (Kg)	PESO NETO (Kg)	NETTOGEWICHT (Kg)	NET WEIGHT (Kg)	PESO NETTO ( Kg)
<b>COULEURS DISPONIBLES</b>	<b>COLORES DISPONIBLES</b>	<b>VERFÜGBARE FARBEN</b>	<b>AVAILABLE COLOURS</b>	<b>COLORI DISPONIBILI</b>
<b>CF - NOIR</b>	<b>CF - NEGRO</b>	<b>CF - SCHWARZ</b>	<b>CF - BLACK</b>	<b>CF - NERO</b>
<b>X - MODÉNATURE PORTE INOX</b>	<b>X - MARCO DE PUERTA EN ACERO INOX</b>	<b>X - TÜRRAHMEN EDELSTAHL</b>	<b>X - STAINLESS STEEL FRAME DOOR</b>	<b>X - MODANATURA PORTA INOX</b>
<b>JGP - DESSUS ET CADRES EN BOIS</b>	<b>JGP - CUBIERTA Y MARCO DE MADERA</b>	<b>JGP - TOP UND RAHMEN AUS HOLZ</b>	<b>JGP - WOODEN TOP AND CORNER</b>	<b>JGP - TOP E CORNICI LEGNO</b>

JG 18 A	JG 32 A	JG 32 AD	JG 51 A	JG 51 AD	BC 45 A	JG 45 A	JG 45 AD	JG 110A	JG 166 AD	JG 168 A	JG 168 AD	JGP 168 AD	JGP 168A
•	•		•		•	•		•		•			•
<b>18</b>	<b>32</b>	<b>(28)</b>	<b>51</b>	<b>(46)</b>	<b>45</b>	<b>45</b>	<b>(45)</b>	<b>110</b>	<b>154</b>	<b>168</b>	<b>(168)</b>	<b>(168)</b>	<b>168</b>
		12		15			16		77		88	88	
		16		31			29		77		80	80	
5 / 18°C	5 / 18°C		5 / 18°C		2 / 10 °C	5 / 18°C		5 / 18°C		5 / 18°C			5 / 18°C
		5 / 10 °C		5 / 10 °C			5 / 10 °C		5 / 10 °C		5 / 10 °C	5 / 10 °C	5 / 10 °C
		10 / 18°C		10 / 18°C			10 / 18°C		10 / 18°C		10 / 18°C	10 / 18°C	10 / 18°C
18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C	18 /35 °C
•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•
			•	•				•	•	•	•	•	•
1	1	2	1	2	1	1	2	1	2	1	2	2	1
•	•	•	•	•	•	•	•	•	•	•	•	•	•
1	1	1	1	1	1	1	1	1	1	1	1	1	1
•	•	•	•	•	•	•	•	•	•	•	•	•	•
90 W	110 W	110 W	140 W	140 W	140 W	140 W	140 W	160 W	160 W	220W	220 W	220 W	220 W
•	•	•	•	•	•	•	•	•	•	•	•	•	•
60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%
5	3	4	3	4	3	3	4	10	13	14	14	14	14
1	1	1					1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1
•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•
860	840	840	855	855	820	820	820	1390	1760	1800	1800	1830	1830
295	493	493	595	595	595	595	595	595	595	595	595	660	660
578	585	585	573	573	570	560	560	680	680	680	680	720	720
30	38	38	52	52	46	49	49	82	105	108	108	112	112
•	•	•	•	•	•	•	•	•	•	•	•	•	•
•			•	•	•	•	•	•	•	•	•		•

TUTTI I PRODOTTI DI QUESTA LINEA SONO IMPORTATI - ALL ITEMS ARE IMPORTED

